

Distinctive Cosmetic Ingredients, LLC

2259 SOUTH CLINTON AVENUE, SOUTH PLAINFIELD, NEW JERSEY 07080

TEL. 908-226-5123 * FAX 908-226-1514

Upregulex Cream

RON4-43/1

Phase	Ingredient	%	Supplier
A	Water	QS	
A	Disodium EDTA	0.10	
A	Ultrez 20	0.30	Noveon
B	Finsolv TN	5.00	Finetex
B	Lexol GT-865	7.50	Inolex
B	Dow Corning 200 Fluid, 350 cst	1.00	Dow Corning
B	Biophilic H	2.50	Lucas Meyer/Distinctive Cosmetic Ingredients, LLC
C	Water	10.00	
C	TEA 99%	0.30	
D	DC HydroTrap	5.00	RON/Distinctive Cosmetic Ingredients, LLC
	DC Antiglycagen	1.00	RON/Distinctive Cosmetic Ingredients, LLC
	DC Upregulex	5.00	RON/Distinctive Cosmetic Ingredients, LLC
E	Gransil SiW 026	5.00	RON/Grant Industries
	Oxyhex ST	0.25	EMD Chemicals
F	Sepigel 305	1.00	Seppic
F	Gransil PSQ	5.00	RON/Grant Industries
F	Surcide DMDMH	0.50	Surety

Procedure:

Combine Phase B in a separate vessel and mix until uniformly dispersed, heating to ~85 - 90 Degrees Celsius.

In a separate vessel, add Phase A and mix until dispersed, heating to ~85-90 Degrees Celsius.

Combine Phase B into A with prop mixing for ~25 minutes until uniform and remove heat.

Corporate Headquarters

2259 South Clinton Avenue • South Plainfield, New Jersey 07080

Phone: 908-226-5123 • Fax: 908-226-1514 • info@roninc.com • www.roninc.com

Distinctive Cosmetic Ingredients, LLC

2259 SOUTH CLINTON AVENUE, SOUTH PLAINFIELD, NEW JERSEY 07080

TEL. 908-226-5123 * FAX 908-226-1514

When temperature reaches ~70 Degrees Celsius, add premixed Phase C and continue mixing.

When temperature reaches ~ 40 Degrees Celsius, add Phase D to the main vessel and continue to mix for ~10 minutes until uniform.

Add Phase E to the main vessel and continue to mix for ~10 minutes until uniform.

Add Phase F to the main vessel and continue to mix for ~10 minutes until uniform.

Finishing Step (If Desired): Homogenize for ~ 10 minutes.

Corporate Headquarters

2259 South Clinton Avenue • South Plainfield, New Jersey 07080

Phone: 908-226-5123 • Fax: 908-226-1514 • info@roninc.com • www.roninc.com