

# Distinctive Cosmetic Ingredients, LLC

2259 SOUTH CLINTON AVENUE, SOUTH PLAINFIELD, NEW JERSEY 07080

TEL. 908-226-5123 \* FAX 908-226-1514

## Volumizing Extra Black Mascara

### RON4-46

Phase	Ingredient	%	Supplier
A	Water	QS	
A	Talc	2.00	
A	Butylene Glycol	2.00	
A	TEA 99%	1.90	
A	<a href="#">Nanosperse Ink Black PV-AQ II</a>	15.00	RON/Distinctive Cosmetic Ingredients, LLC
A	Dow Corning Antifoam Emulsion, Food Grade	0.25	Dow Corning
A	Natrosol 250 HHR	0.70	Aqualon
A	Celvol 205S	2.00	Celanese
A	<b>DC Cellulose Gum</b>	<b>0.50</b>	<b>RON/Distinctive Cosmetic Ingredients, LLC</b>
B	<a href="#">Natural Finish Velvet Kaolin</a>	3.00	RON/Distinctive Cosmetic Ingredients, LLC
B	Carnauba Wax	5.00	Stahl & Pitsch
B	Stearic Acid	4.00	
B	Cerasynt PA	3.00	ISP
B	Beeswax	6.00	Stahl & Pitsch
B	Emulmetik 100	1.00	RON/Lucas Meyer
C	<b>DC Curling Polymer</b>	<b>15.00</b>	<b>RON/Distinctive Cosmetic Ingredients, LLC</b>
D	<b>DC Glide</b>	<b>4.00</b>	<b>RON/Distinctive Cosmetic Ingredients, LLC</b>
E	Diocide	1.00	DIOW

#### Procedure:

Charge Phase A into tank and heat to ~90°C.

In a separate vessel, premix Phase B and heat to ~90°C.

Using a prop mixer, add Phase B to Phase A and mix at a fast speed for 15 minutes.

Remove from heat and switch to side-sweep mixing

Corporate Headquarters

2259 South Clinton Avenue • South Plainfield, New Jersey 07080

Phone: 908-226-5123 • Fax: 908-226-1514 • info@roninc.com • www.roninc.com

# Distinctive Cosmetic Ingredients, LLC

2259 SOUTH CLINTON AVENUE, SOUTH PLAINFIELD, NEW JERSEY 07080

TEL. 908-226-5123 \* FAX 908-226-1514

At ~60C, add Phase C, **VERY SLOWLY** and continue to side-sweep until ~40°C.

Slowly add Phase D and mix until uniform.

Add Phase E, mix until uniform and cool to room temperature.

DO NOT FILL FOR AT LEAST 24 HOURS.

Corporate Headquarters

2259 South Clinton Avenue • South Plainfield, New Jersey 07080

Phone: 908-226-5123 • Fax: 908-226-1514 • [info@roninc.com](mailto:info@roninc.com) • [www.roninc.com](http://www.roninc.com)